



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

CIN : U73200DL2016PTC300483

Format No.: AGSS/QS/F-024

Page No.: 1 of 1

TEST REPORT

Issued to :

SR Institute Of Advanced Ayurvedic Sciences Pvt. Ltd.
Plot No.354, Udyog Vihar, Phase-IV, Gurugram-122016, Haryana

Report No. : AGSS/NA/24041200009
Sample Issue Date : 12/04/2024
Report Issue Date : 15/04/2024

Name of The Product : SILICEA 6X
Product Description : White Round Biconvex Tablet.
Batch No./Lot No. : SIL01032024
Date of Manufacturing : 01/03/2024
Date of Expiry : 2 Years From DOM
Packing Condition : Plastic Container
Location : NA
Sample Received / Collected By : Customer
Testing Required : Chemical Test
Others specification : NA

Sample Received Date : 12/04/2024
Analysis Starting Date : 12/04/2024
Analysis Completion Date : 15/04/2024
Date of Sampling : -
Quantity Received : 180Tabs
Environment Condition : NA
Sampling Method : NA
Sampling By : NA

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement	Method of Testing
Chemical Parameter					
1	Identification of Steroids for Betamethasone, Dexamethasone, Prednisolone	-	Negative	-	In House Method

Remarks : Any addition to Deviation or exclusions from the method: No, Specific environment condition during sampling: No
I hereby attest to the authenticity/decision (AGSS/QM-QSP/06) of the test report that the data is correct and accurate to the best of my knowledge and that the testing was performed by the procedure described in the SOP/Standard.
I hereby attest that this test was conducted within compliance.


End of Report

A/24041200009-1



Imran Asif
Section In Charge (Food)
Checked by

Dr Shival Singh
Director Technical
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be used for any other purpose.