



# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

CIN : U73200DL2016PTC300483

Format No.: AGSS/QS/F-024

## TEST REPORT

Page No.: 1 of 1

Issued to :

SR Institute Of Advanced Ayurvedic Sciences Pvt. Ltd.  
Plot No.354, Udyog Vihar, Phase-IV, Gurugram-122016, Haryana

Report No. : AGSS/NA/24041200015

Sample Issue Date : 12/04/2024

Report Issue Date : 15/04/2024

Name of The Product	: PUNAR TAB	Sample Received Date	: 12/04/2024
Product Description	: Brown Coloured Round Biconvex	Analysis Starting Date	: 12/04/2024
Batch No./Lot No.	: PUN182-0124	Analysis Completion Date	: 15/04/2024
Date of Manufacturing	: 01/01/2024	Date of Sampling	: -
Date of Expiry	: 3 Years From DOM	Quantity Received	: 90Tabs
Packing Condition	: Plastic Container	Environment Condition	: NA
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Customer	Sampling By	: NA
Testing Required	: Chemical Test		
Others specification	: NA		

## TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement	Method of Testing
<b>Chemical Parameter</b>					
1	Identification of Steroids for Betamethasone, Dexamethasone, Prednisolone	-	Negative	-	In House Method

Remarks : Any addition to Deviation or exclusions from the method: No, Specific environment condition during sampling: No  
I hereby attest to the authenticity/decision (AGSS/QM-QSP/06) of the test report that the data is correct and accurate to the best of my knowledge and that the testing was performed by the procedure described in the SOP/Standard.  
I hereby attest that this test was conducted within compliance.

\*\*\*End of Report\*\*\*

A/24041200015-1



Imran Asif  
Section In Charge (Food)  
Checked by

Dr Shival Singh  
Director Technical  
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report is valid only for the purpose mentioned.

