



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35
Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

TEST REPORT

Page No.: 1 of 1

Issued to :
SR Institute Of Advanced Ayurvedic Sciences Pvt. Ltd.
Plot No.354, Udyog Vihar, Phase-IV, Gurugram-122016, Haryana

Report No. : AGSS/NA/24043000001
Sample Issue Date : 30/04/2024
Report Issue Date : 02/05/2024

Name of The Product : VP-TAB
Product Description : A
Batch No./Lot No. : VPT120-0424
Date of Manufacturing : APR/2024
Date of Expiry : Best Before 3 Year of mfg
Packing Condition : -
Location : NA
Sample Received / Collected By : By Hand
Testing Required : Chemical Test
Others specification : NA

Sample Received Date : 30/04/2024
Analysis Starting Date : 30/04/2024
Analysis Completion Date : 02/05/2024
Date of Sampling : 29/04/2024
Quantity Received : 100gm
Environment Condition : NA
Sampling Method : NA
Sampling By : NA

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirements as per Customer Specification	Method Of Testing
Heavy Metals :					
1	Lead (as Pb)	mg/kg	17987.31	-	AGSS/CHEM/SOP-ICPMS/13
2	Arsenic (as As)	mg/kg	16.67	-	AGSS/CHEM/SOP-ICPMS/13
3	Cadmium (as Cd)	mg/kg	BLQ (0.05)	-	AGSS/CHEM/SOP-ICPMS/13
4	Mercury (as Hg)	mg/kg	4346.82	-	AGSS/CHEM/SOP-ICPMS/13

Remarks : Any addition to Deviation or exclusions from the method: No , Specific environment condition during sampling: No
I hereby attest to the authenticity/decision (AGSS/QM-QSP/06) of the test report that the data is correct and accurate to the best of my knowledge and that the testing was performed by the procedure described in the SOP/Standard.
I hereby attest that this test was conducted within compliance.
Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification. Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification.

End of Report

A/24043000001-1



Ajit Kumar
Analyst
Checked by

AGSS Analytical and Research Lab Pvt. Ltd.
Dr Shival Singh
Director Technical
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This report is for information only and can not be used as an evidence in the court.

