

AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001: 2015, 14001: 2015, 45001: 2018 Certified Company)

C-37/2, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35 Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com

CIN: U73200DL2016PTC300483

TEST REPORT

Format No.: AGSS/QS/F-024 Page No.: 1 of 1

Issued to:

SR Institute Of Advanced Ayurvedic Sciences Pvt. Ltd.

Plot No.354, Udyog Vihar, Phase-IV, Gurugram-122016, Haryana

Report No.

: AGSS/NA/24041200012

Sample Issue Date

: 12/04/2024

Report Issue Date

: 15/04/2024

Name of The Product **Product Description**

: STKT-TAB

: Black Coloured Round Biconvex

Sample Received Date **Analysis Starting Date**

: 12/04/2024

Batch No./Lot No.

: STK032024 : 01/03/2024

Analysis Completion Date: 15/04/2024

: 12/04/2024

Date of Manufacturing Date of Expiry

: 3 Years From DOM

Date of Sampling

: 12/04/2024

Packing Condition

: Plastic Container

Quantity Received

: 60Tabs

Location

Environment Condition Sampling Method

: NA : NA

Sample Received / Collected By: Customer **Testing Required**

: Chemical Test

Sampling By

: NA

Others specification

: NA

TEST RESULT

Units	Results	Requirement	Method of Testing
	Negative		In House Method
	Units	Tiosuits	riosuits nequirement

usions from the method: No, Specific environment condition during sampling: No I hereby attest to the authenticity/decision (AGSS/QM-QSP/06) of the test report that the data is correct and accurate to the best of my knowledge and that the testing was performed by the procedure described in the SOP/Standard. I hereby attest that this test was conducted within compliance.

End of Report

A/24041200012-1

Section In Charge (Food) Checked by

Dr Shivlal Singh Director Technical

Authorized Signatory





