



SHREE KRISHNA ANALYTICAL SERVICES

(An ISO 9001 : 2015, ISO 14001 : 2015 & ISO 45001 : 2018 CERTIFIED LABORATORY)

A-5/4, Mayapuri Industrial Area, Phase-II, New Delhi-110064, Ph. : 011-41848475, 9654958120

E-mail : shreekrishnalab@gmail.com, info@skaslab.com, Web. : www.skaslab.com

(Form-50)

[Rule 160-D(VI) of Drugs & Cosmestic Act 1940 and the rules there under]

GOVT. APPROVED TESTING LABORATORY

REPORT OF ANALYSIS

Page : 1 of 1
Approval No. DTL 07/A&U/ISM/2009

Submitted By : SR INSTITUTE OF ADVANCED AYURVEDIC SCIENCES
Plot No 354, Udyog Vihar Phase-IV, Gurugram, Haryana,
122016

Report No. : SKF-230725009
Received on : 23/07/2025
Mfg.Lic.No. :

Sample : ACTINEURON TABLETS

Ref. No. : Nil

Manufactured By : AS ABOVE

Supplied By : AS ABOVE

Batch No.

ACT052025

Mfg.Date

05/2025

Exp.Date

04/2027

Ref. Date : 23/07/2025

Batch Size

NS

Sample Qty.:

30 Tablets

Analysis Started Date : 23/07/2025

Analysis Completed Date : 26/07/2025

RESULTS OF ANALYSIS

Reference to Protocol : API

Description : White round shaped film coated tablet plain on both side.

S.No.	PARAMETERS/TEST	RESULTS/OBSERVATIONS	LIMITS/SPECIFICATION	UNITS
1	Heavy metals	-		
	Lead (as Pb)	BLQ (LOQ 0.2)	NMT 10.0	mg/kg
	Cadmium (as Cd)	BLQ (LOQ 0.2)	NMT 0.3	mg/kg
	Mercury (as Hg)	BLQ (LOQ 0.2)	NMT 1.0	mg/kg
	Arsenic (as As)	BLQ (LOQ 0.2)	NMT 3.0	mg/kg

Report :Note :- Party asked for the above tests only.

End of Report

26/07/2025

DATE OF ISSUE

REVIEWED BY

PERSON IN-CHARGE OF TESTING

1. The results listed refer only to tested samples and applicable parameters. Endorsement of product is neither inferred nor implied.
2. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes & cannot be used as an evidence in the court of law.
3. Test Certificate in full or parts shall not be reproduced, without permission of director.

SURJEET DAS

